



INSTITUTE OF ADVANCED STUDY IN SCIENCE AND TECHNOLOGY

An Autonomous Institute under Department of Science and Technology

Govt. of India,

Paschim Boragaon, Garchuk, Guwahati-781035

Advertisement of Notice Inviting Quotations (NIQ)

Advt. No: 579(NIQ)

Date: 02/02/2026

Sealed quotations are invited from reputed Manufacturer/authorized distributors/dealers for supply of following scientific equipment/instrument for the Institute of Advanced Study in Science and Technology (IASST). Bid document with other terms & conditions can be submitted with bid fee and notified EMD as per following.

Bid fee-DD (non - refundable)	Last Date and Time for submission of bids	Venue for submission & Opening of Technical Bids
Rs. 5000.00	23/02/2026 by 5 P.M	Office of the Registrar, IASST, Guwahati – 781035 Dt: 24/02/2026 at 11A.M, or intimated if there is any change

Name of the Equipment:

1. Atomic Force Microscope (AFM)

Technical Specification:

Instrument Stage	1. The system must include a software-controlled motorized sample stage. The motorized stage (XY) should be programmable for multi-site measurements, with integrated stage control for fast sample navigation. 2. The Z stage and focus/optics stage should also be motorized. 3. The system must include a closed-loop XY scanner with a minimum range of 50 μm (closed-loop) and a Z scan of 15 μm or less. X and Y sensor noise should be less than 70 pm in average deviation (ADev), and Z scan range of 5 μm or more with Z sensor noise should be less than 60 pm in 0.1 Hz to 1 kHz band width. 4. The XY scanner must be separate from the Z scanner. The system must scan the sample in XY, and the tip in Z. 5. XY scanning should be fast > 100 Hz in tapping/non-contact mode. 6. A vacuum sample chuck should hold a sample of a diameter of at least 10 mm and a thickness of 5 mm or more.
------------------	--

	7. The system must be in a close enclosure that provides isolation from both vibration and acoustic 8. The cantilever holder and the optical lever assembly (laser, optics, and detector) must be housed within a single rigid frame. This eliminates artefacts due to relative motion between the optical lever arm and the cantilever during imaging and force measurements. 9. At least 5-megapixel Digital camera with zoom for viewing the sample must be provided
Operating Modes	1. Contact Mode 2. Tapping Mode (AC Mode) 3. Tapping Mode with Q-control 4. Dual AC 5. Phase Imaging 6. Force Curve Mode 7. Force Mapping Mode (Force Volume) 8. Force Modulation 9. Frequency Modulation 10. Fluid imaging 11. Lateral Force Mode (LFM) 12. Kelvin Probe Force Microscopy (KPFM) 13. Electric Force Microscopy (EFM) 14. Magnetic Force Microscopy (MFM) 15. Piezoresponse Force Microscopy (PFM) 16. PFM spectroscopy 17. Dual AC Resonance Tracking PFM or equivalent 18. Vector PFM 19. Vertical PFM 20. Conducting AFM (also should be simultaneously performed with various modes of PFM) in AC/DC modes. The system should allow conductive measurements while scanning as well as at user-specified locations (I-V curves). A sample bias of -10V to 10V is possible. The current sensing range should be from microA to pA. 21. Lateral PFM with lateral force calibration 22. Multifrequency AFM or equivalent 23. High-resolution environments while maintaining resolution & clarity. There should be available scanning probes (at least 10 nos) for each of above measurement. 24. Conducting AFM (also should be simultaneously performed with various modes of PFM) in AC/DC modes. The system should allow conductive measurements while scanning as well as at user-specified locations (I-V curves). A sample bias of $\pm 10V$ is possible. The current sensing range should be from microA to pA. 25. The cantilever holder must be compatible with many commercial third-party cantilevers. 26. Quote requires controller/electronics in the main configuration
Laser Light Source and Photodetector	1. The instrument optical lever arm uses a low coherence light source to reduce artefacts from optical interference effects. 2. NIR laser with 830-860 nm wavelength or higher, and with coherent length less than 50 μm 3. The instrument must allow for the interchange of laser sources. At least one laser source should be included with the offered configuration. Others available may be offered optionally. 4. Laser and Photo detector must have option to adjust /control both Vertical and lateral position for LFM and phase imaging application 5. Laser spot positioning and photo detector centering must be motorized and controlled through software. Evidence for this capability must be provided.

Controller, Software & Instrument Computer	1. The AFM system shall be supplied with a fully integrated digital controller, OEM-certified control & analysis software, and a dedicated workstation computer for complete instrument operation. 2. The controller shall provide real-time closed-loop scanning and feedback control for all imaging, spectroscopy, electrical, magnetic, electromechanical, and nanomechanical modes supported by the system. 3. The system provides thermal tunes/cantilever oscillation up to 7 MHz or better 4. Scanner drive electronics shall feature 24-bit preferred DAC resolution on X, Y, and Z axes with high-speed signal detection. 5. Integrated digital lock-in detection or equivalent signal processing capability shall be provided for operation of advanced modes including PFM, KPFM, EFM, and spectroscopy. 6. The electronics shall include internal function/waveform generators supporting common modulation patterns such as sine, square, triangle, pulse, and user-defined waveforms for spectroscopy and bias modulation. 7. The controller shall provide user-accessible analog and digital I/O ports (BNC or equivalent) for external triggering, synchronization, data monitoring, and integration with auxiliary hardware. 8. The system shall support simultaneous multi-channel data acquisition including height, amplitude, phase, error, lateral force, electrical current, and surface potential signals. 9. At least 4 in-built Lock-in amplifiers must be included in the AFM configuration. 10. The system must include software-controlled relays for the X, Y and Z high voltage supplies and the laser power. 11. High-resolution image acquisition of $\geq 4000 \times 4000$ pixels per image (8000×8000 preferred) shall be supported. 12. Supplied software must enable full instrument control, including scanner operation, automated engage/retract, set point control, cantilever tuning, and spring constant/deflection sensitivity calibration using thermal or equivalent methods. 13. Software shall enable operation and data acquisition for all approved AFM modes including force spectroscopy, force mapping, PFM, KPFM, CAFM, EFM, MFM. 14. Data analysis functions must include: a. 2D and 3D visualization and rendering b. Line profiling and section analysis c. Roughness and grain statistics d. FFT and frequency-domain analysis e. Image leveling, flattening, filtering, and overlay functions f. Force-curve fitting and nanomechanical data extraction g. Electrical spectroscopy (I–V curve) analysis. 15. Data export must be supported in common formats including TIFF, PNG, JPEG, ASCII/CSV, and native file formats for full metadata retention. 16. The system shall be delivered with a brand-new workstation PC meeting or exceeding: a. Intel Core i7 or equivalent CPU or better b. ≥ 16 GB RAM (32 GB preferred) c. ≥ 1 TB SSD storage d. Dedicated or integrated graphics capable of 3D rendering e. Windows 10/11 64-bit operating system (OEM licensed) f. Single ≥ 30" monitor or dual ≥ 24" monitors g. Multiple USB ports, Ethernet connectivity h. Keyboard and mouse
---	---

	i. 5 kVA Online UPS with inbuilt surge protection 17. The controller, software, and computer must be fully integrated with AFM and other necessary software. The softwares installed, licensed, configured, calibrated, and commissioned, with system functionality demonstrated prior to final acceptance. 18. Functional equivalence shall be accepted, and no specific hardware brand, controller architecture, or proprietary software platform shall be mandated, provided the above performance requirements are met.
Instrument Isolation	1. The system must include a thermally- and acoustically-isolating enclosure. The enclosure must provide at least 20dB of acoustic isolation. 2. The system must include an active vibration isolation table.
Support and Service	1. The system must be supported with spares and firmware upgrades for at least 10 years from the date of successful installation. 2. Must include free AFM software upgrades for the life of the instrument.
Training and demonstration & manpower	1. The successful bidder must provide training (hardware and software) at the bidder's cost to the users at IASST, Guwahati. 2. A dedicated manpower should be provided for at least 3 months at the bidder's cost to the users at IASST, Guwahati. 3. Vendors should provide periodic training to the users during the warranty period.
Accessories	1. Calibration standards sample for system calibration must be included. 2. Supporting tools - General supporting tools for operation and maintenance of AFM system must be included. 3. Appropriate communication cables and power cables to be provided.
Power Supply & Site Requirements	1. The AFM system, including all associated controllers, workstations, vibration isolation systems, environmental enclosures, and auxiliary accessories, shall operate on standard Indian electrical supply: 230 V AC $\pm 10\%$, 50 Hz, single phase. 2. Power requirements for the main instrument and all accessories must be clearly specified by the bidder, including: 3. Total connected load (in watts/VA), 4. Number of required power outlets, 5. Any requirement for dedicated power lines or stabilizers. 6. The system must be compatible with laboratory-grade power conditions, and suitable power conditioning or stabilization shall be included or recommended where required. 7. All supplied equipment shall include appropriate surge protection and shall be compatible with use through uninterruptible power supply (UPS) systems. 8. The supplier shall specify the minimum floor space required for installation of: - Main AFM unit, - Controller electronics, - Workstation computer, - Vibration isolation system, - Acoustic enclosure and all accessories. 9. Details of room environmental requirements shall be provided, including: - Operating temperature and humidity ranges, - Vibration sensitivity requirements, - Acoustic noise limits (if applicable). 10. Requirements related to other site utilities or auxiliaries, if any (such as compressed air, gas supply, vacuum, cooling water, or

	ventilation), must be clearly stated. If no such utilities are required, the vendor should explicitly confirm the same. 11. The supplier shall provide complete site preparation guidelines prior to delivery and assist the institute during pre-installation checks to ensure the facility is ready for installation and commissioning.
Performance Warranty	1. The AFM system shall be covered by a comprehensive on-site warranty of 36 months from the date of successful installation and commissioning at IASST, Guwahati. 2. Warranty shall include all spares (excluding standard consumables), labor, and service engineer visits at no extra cost from the date of successful installation. 3. Preventive maintenance and unlimited breakdown service support shall be provided during the warranty period. 4. The supplier must have authorized service support in India with a maximum response time of 48 working hours. 5. Spare parts support shall be assured for at least 10 years from the date of from the date of successful installation.
Manuals	Hard and Soft copies of all manuals (System manual, Operational manual including all supplied modes, and Software user manual) should be provided.
Compliance Statement	1. Bidders must submit technical compliance statements supported by manufacturer datasheets and documentation. 2. Systems meeting equivalent functional performance shall be accepted. 3. No specific brand, hardware design, or proprietary technology is mandated, provided all tender specifications are met. 4. A list of users using the quoted model for the last 5 years must be provided. 5. Vendors must provide the date of global launch of the quoted model. The model should not be more than five years old.
Optional	High voltage PFM of at least 100 V in DC and AC tip or sample bias for samples of weak piezoelectric, conductive AFM. The system must have safety features for high-voltage operation, and the bias between the tip and sample must be software-controlled.

Notice Inviting Quotation

Eligibility Criteria of bidder(s):

- The Bidder should be a reputed Manufacturer/authorized distributors/dealers having after sales service agreement with the OEM (proof for the same to be enclosed along with address, phone nos. & E-mail etc. of the Service Centre).
- If the bidder is an ISO certified Company, then documentary proof should be enclosed.
- The bidder should have experience of more than five years in execution and maintenance of equipment quoted (A certified of establishment to be provided).
- The bid document complete in all respect should reach the Registrar, Institute of Advanced Study in Science and Technology (IASST), Vigyan Path, Paschim Boragaon, Guwahati – 781035 on or **before 23/02/2026 by 5 P.M.** No bids after the last date shall be entertained.

Sequence of documents to be provided / enclosed in each copy of the bid documents:

- Each equipment's technical and price bid should contain on the top advt. no, equipment name and these documents should be put inside a single envelop which will also contain on top advt. no, names, last date of submission of quotation and content (How many envelop) inside.
- Forwarding letter duly signed by the Authorized person.
- Balance sheet with auditor's report for the years 2021-22, 2022-23, 2023-24, 2024-25 & 2025-26
- Latest Income Tax Clearance Certificates.
- Copy of Certificate of Registration for Central Sales Tax/VAT
- Copy of PAN Card.
- Proof of the authorized agent/distributor/supplier.
- Sole Proprietary/sole manufacturer certificate for proprietary item.
- Compliance sheet stating the deviation, if any, with reference to the terms and specifications of the equipment/its accessories.
- Certificate in support of the authorized agent/distributor/supplier.
- Sole Proprietary/sole manufacturer certificate for proprietary item.
- List of similar equipments supplied by the firm with addresses and phone numbers of customers with satisfactory completion certificate/ working certificates.
- Name and address of registered office, Head Office and Regional Office of the company with name and phone numbers of key persons.
- Self-declaration at Annexure –I
- Format of Manufacturer/Supplier/Distributor information at Annexure –II.
- Technical Specification at Annexure – III
- Financial Bid at Annexure – IV
- Contract Form at Annexure –V
- Acceptance of all clauses of bids specification duly signed page wise.

**All the above documents except sl. no.16 should be enclosed with the Technical Bid.
Sl. No.16 to be submitted in a separate sealed envelope.**

Conditions forming part of NIQ

- Price of the equipment to be quoted for FOR at IASST only in Rupee/Foreign currency.
- The two bid system should be followed for this NIQ. Under this system the bidder must submit their offer in two separate sealed envelopes marked clearly as Technical Bid and Commercial Bid on cover page of the envelop for each item quoted. Both the sealed envelope should be placed in a third larger envelop. The main envelope which will contain both the bids should be super scribed with NIQ enquiry no. and name of the equipment quoted for.
- The bidder shall be required to deposit 2% **Earnest Money** of estimated value of Equipments to be supplied alongwith the Technical Bid, through Bank Draft/ Fixed Deposit Receipt/Bank Guarantee drawn in favour of '**The Director, IASST**' payable at Guwahati. All quotation submitted without requisite amount of earnest money shall be rejected and their financial bid shall not be opened. The EMD will be returned to the bidders(s)/Agents whose offer is not accepted by IASST within one month from the date of placing of final order(s) to the selected bidder(s). In case of bidder(s) whose offer is accepted, the EMD will be returned on submission of Performance Bank Guarantee. The IASST shall forfeit EMD, if the successful bidder fails to furnish the required Bank Guarantee. However, if the return of EMD is delayed for any reason, no interest/penalty shall be payable to bidders.
- The Technical Bids will be opened in presence of the bidders on the specified time and date. The bidder/their authorized agents who have responded to the quotation will be allowed to be present in the opening. The bidders are requested not to insert their quoted price in Technical Bid which will lead the quotation for summarily rejection.
- The Technical Bids will be evaluated to shortlist the eligible bidders. The Price Bids of only the short listed bidders shall be considered for further processing. Bidders whose Technical Bid is found acceptable and meets the eligibility requirements as specified in this NIQ will be informed about the date and time of the opening of Price Bid.
- The Successful bidder will have to submit within ten (10) days of the award of the contract, Performance Bank Guarantee equivalent to 5% of the total value of purchase order in the form of Bank Guarantee favouring the Director, IASST payable at Guwahati valid till completion of warranty period.
- Bids would be rejected for award if it determines that the bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for the contract in question.
- The bids received after the deadline for submission of bids prescribed by the IASST will be rejected and such bids shall be marked as late and not considered for further evaluation.
- The IASST may, at its discretion, extent the deadline for submission of bids by amending the bid documents in accordance with clause relating to Amendment of Bidding documents in which case all rights and obligations of the IASST and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.
- The original and all copies of the bid shall be typed and shall be signed by the bidder or a person or persons duly authorized to bind the bidder to the Contract. All pages of the bid, except for un-amended printed literature, shall be initialed by the person or persons signing the bid. Further, over-writings on documents, if any should be supported by signatures.
- The bidders may submit their duly sealed Bid by post or by hand at the address specified in the NIQ not later than the time and date specified therein. In the event of the specified date for the submission of bid being declared a holiday for the IASST, the bid will be received up to the appointed time on the next working day.
- The bidder should submit soft copies of both the bids in soft copy format through CD. The format of soft copies should in M.S. Word format.
- Issuance of bid documents should not automatically be construed that the bidder is considered qualified. The IASST Authority has the right to reject any bids on technical grounds without assigning any reason thereof.

- IASST shall not be responsible for any delay, loss or non-receipt of bid documents sent by post.
- Prices shall be quoted in Indian Rupees for offers received for supply within India and in their currency as per the Financial Bid format in case of offers received for supply from foreign countries. The prices quoted should be FOR, IASST destination.
- The imported equipments should be quoted by the authorized supplier/dealer. In this case, commitment of after sales service with the period applicable should be clearly mentioned.
- Compliance sheet should indicate in details of meeting up of specifications required. The bidder can mention the additional features that exist in quoted products, if any, separately.
- Payment shall be made after delivery, successful installation, commissioning, and submission of Bank Guarantee and on submission of installation and warranty certificate duly signed and stamped by the authorized representative of the user department. **No advance payment will be made in case of equipment supplied by indigenous supplier.** In case of imported equipments 100% payment will be made through letter of credit for equipment costing USD 20000.00(or equivalent foreign currency) or more with payment terms 80% after shipment and balance 20% after satisfactory installation and commissioning along with submission of Performance Bank Guarantee.
- All taxes, if applicable, should be quoted separately, otherwise it would be presumed that the quoted prices are inclusive of taxes (please see Financial Bid format).
- Prices quoted should be FOR, IASST, Guwahati inclusive of all charges required to make the equipment functional to the satisfaction of the Institute, otherwise it would be presumed that the quoted prices are inclusive of all charges, if applicable.
- In case price for imported goods are quoted in FOR, the IASST will provide customs duty exemption certificate, if the import is made in the name of IASST and the supplier should submit original Bill of Entry in the name of the Registrar, IASST.
- Delivery should be within specified days mentioned in Purchase Order. If the equipment/instruments are not delivered within the stipulated time, the supplier shall be liable to pay a penalty of 1% of the total order value for each delay of 10 days or part thereof, and the amount will be deducted from the payment on account of purchase.
- The suppliers will undertake warranty of equipment/instruments from the date of installation and shall have to mention the period of warranty in both the bids clearly.
- The quotations must be valid for a minimum period of 90 days (three months) from the date of opening of the financial bids. No change in prices and change in terms and conditions will be permitted.
- All quoted items may carry brochure/catalogue/Pamphlets/Technical Literature and related documents.
- The supplier further warrants that the goods shall be free from defects arising from any act or omission of the supplier or arising from design, materials, and workmanship, under normal use in the conditions prevailing in India.
- The bidder should indicate clearly in their technical bid about the pre-installation requirements. Subsequently, before the consignment lands in IASST, the bidder shall confirm that the pre-installation requirements are sufficient for installation of the equipments.
- Installation, testing, commissioning of the equipments should have to be carried out by Technical experts of the company/supplier up to the satisfaction of user department of IASST.
- Free training shall be imparted to faculty/technical staff for operation, maintenance and troubleshooting at the user department of IASST.
- The equipment should be supplied with manuals containing technical drawings, complete in all respects, so as to operate the system without having any problem.
- The bidder may submit the proprietary certificate for the item(s), if applicable.
- In a bid, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same bid.
- If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same bid for the same product.
- IASST reserves the right to purchase varying quantity of material, less or more.
- In the process of evaluation, comparison of bids, IASST reserves the right to reject any or all bids.

- In case replacement of a part becomes necessary during warranty period, the parts of the same make and same or better configurations as were originally there in the equipments shall be used. The supplier/vendor shall maintain details of the replacements and repairs carried out, if any, in any equipment/instrument in a separate document and produce the details as and when required by the user department of IASST. The cost of the parts will be borne by the supplier.
- In case of complaint regarding repairing/replacement of equipment/instrument within the warranty period, the supplier will provide repair/replacement immediately. In case of non-compliance or delayed compliance, supplier will be penalized with an amount mutually agreed upon and it would be deducted from the Bank Guarantee.
- The technical specification wherever given in the items' specification format is basic. The equipments/instruments may also be evaluated as per additional provisions and facilities.
- All corrigenda will only be notified on the IASST website.
- The bidder should make arrangement of insurance of the equipment against all risks of loss or damage from the date of shipment till such time it is delivered at IASST site in case of Rupee/Foreign currency terms.
- The successful bidder should deliver the product at IASST
- The Director, IASST shall be the final Authority for settlement of any dispute and his interpretation of any Clause/term/condition(s) of this document shall be final.
- If any dispute arises out of or in connection with the contract, or in respect of any defined legal relationship associated therewith or derived there from, will be settled under the jurisdiction of Court of Law of Guwahati.
- The Institute is not bound to accept the lowest bidder.
- Purchase terms and condition as per General Financial Rule (GFR) will be applicable for all the purchases to be made.

Authorize Signature of the firm

Name:

Designation:

ANNEXURE- I

Self-Declaration to be given by the bidder

NIQ Reference No. & Date:

Bidder's Name & Address:

Person to be contacted:

Designation:

Telephone No:

Fax No:

Email:

The Registrar,
Institute of Advanced Study in Science and Technology (IASST),
Vigyan Path, Paschim Boragaon, Guwahati – 781035.

We, the undersigned Bidder, having carefully read and examined in detail the Terms and Conditions, specifications and all bidding document in regard to the supply of equipments/instruments at Institute of Advanced Study in Science and Technology (IASST) and accept the same.

We also hereby declare

- that we have not been blacklisted/debarred by any Government/Undertaking.
- that the rates quoted are not higher than the rates quoted for same item to any Government/Undertaking.
- that the bid submitted by us is properly sealed and prepared so as to prevent any subsequent alteration and replacement.

For and on behalf of the firm

(Firms Name & Address)

Date: -----

Place: -----

(Signature of Authorized Signatory)

Name:

Designation:

Phone No:

Seal:

ANNEXURE - II

FORMAT FOR OTHER INFORMATION

(To be filled in by the bidder)

Cost of Bid: Rs. 5000/- -----

Cash receipt/Bank Draft No: -----

Date: -----

- Name of the firm: -----
- Address: -----
- Telephone/Mobile No: -----
- Fax Number: -----
- Email: -----
- TIN/VAT/CST No: -----
- Firm Registration No: -----
(If any)
- PAN: -----

(Attach photocopy)

- **Details of Earnest Money (Bids Security) @ 2% of the estimated values of the equipment to be provided.**

a) Bank Draft/Pay Order No.

b) Date.

c) For Rs.

d) Drawn On.

Place -----

Date -----

(Signature of the authorized person)

Name of the Contact person

Name of the Firm

Contact No.

Seal

Annexure – III
TECHNICAL SPECIFICATION

Advertisement No:

Sl. No (as per NIQ):

Equipment Name:

Equipment Name	Whether all specifications are as per the advertisement listed (Yes/No)	Principal Price (Rs./or any foreign currency with the equivalent rupees value on the date of submission of quotation)	Taxes			Total (Rs./ or any foreign currency with the equivalent rupees value on the date of submission of quotation)

ANNEXURE - IV

FINANCIAL BID

Sl.No	Equipments & Specifications	Amount
	Basic Cost of the Equipment	
	Sales tax & other taxes	
	Excise duty, if any	
	Customs duty, if any	
	Packaging & forwarding charges, if any	
	Octroi Duty, if applicable,	
	Training cost, if any	
	Installation and Commissioning cost, if any	
	Any other charges, if any	
	Grand Total (in figure & words)	

(Signature of the authorized person)
Name of the Contact Person
Name of the Firm
Contact No.

ANNEXURE -V

CONTRACT FORM

(To be filled by the successful bidder only)

THIS AGREEMENT is made on the ----- day of -----,2026 between the Registrar, Institute of Advanced Study in Science and Technology (IASST), Vigyan Path, Paschim Boragaon, Guwahati – 781035 (hereinafter called “the Purchaser”) of the one part and -----(Name of Supplier) of ----- (city and country of Supplier) (hereinafter called “the Supplier”) of the other part:

WHEREAS the Purchaser is desirous that certain equipment/instrument and after sales services viz, ----- (Brief Description of equipment/instrument and after sales services) and has accepted a bid by the Supplier for the supply of those equipment/instrument and after sales services for the sum of ----- (Contract Price in Words and Figures) (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. In consideration of the payments to be made by the IASST to the supplier as hereinafter mentioned, the Supplier hereby covenants with the IASST to provide the equipment/instrument and after sales services and to remedy defects therein in conformity with the provisions of the Contract in all respects.
3. The IASST hereby covenants to pay the Supplier in consideration of the supply of the equipment/instrument and after sales services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
Brief particulars of the equipment and after sales services which shall be supplied/provided by the Supplier are as under:

SL. NO	BRIEF DESCRIPTION OF EQUIPMENT/INSTRUMENT AND AFTER SALES SERVICES	QUANTITY TO BE SUPPLIED	UNIT PRICE	TOTAL PRICE	DELIVERY TERMS

&&&&&&